



R-Light

Power and luminous intensity


3000K		350 mA			500 mA			700 mA		
Number of LEDs	P_t (W)	Φ (lm)	(lm/W)	P_t (W)	Φ (lm)	(lm/W)	P_t (W)	Φ (lm)	(lm/W)	
8	10	994	99	14	1434	102	20	1818	91	
16	21.4	1988	93	28.2	2867	102	36	3636	101	
32	34.4	3976	116	48.8	5734	118	68.9	7271	106	
48	51	5964	117	72.6	8601	118	102.3	10907	107	
4000K		350 mA			500 mA			700 mA		
Number of LEDs	P_t (W)	Φ (lm)	(lm/W)	P_t (W)	Φ (lm)	(lm/W)	P_t (W)	Φ (lm)	(lm/W)	
8	10	1074	107	14	1549	111	20	1966	98	
16	21.4	2147	100	28.2	3097	110	36	3932	109	
32	34.4	4294	125	48.8	6193	127	68.9	7863	114	
48	51	6441	126	72.6	9290	128	102.3	11795	115	

P_t (W) = Total power consumption including driver consumption
 Φ Nominal flux (lm)

Ordering Information

Model	Size	# LED	Distribution	Drive Current (mA)	CCT (K)	Line Voltage	Mounting	Color Fixture
R-Light								
	650	8	T2	35 – (350)	3 – (3000 K)	120 V	TP – (Top Mounted)	BLK – (Black)
	800	16	T3	50 – (500)	4 – (4000 K)	220 V	LT – (Lateral)	BRZ – (Bronze)
		32	T4	70 – (700)		277 V	WM – (Wall Mounted)	SVR – (Silver)
		48	T5	Custom		347 V		WHT – (White)
						480 V		(RAL #)
						UNV		






Acti BRACKET



R-Light

Suggestions for ensembles



A - Wall mounting



B - Java 800
Dryas bollard



C - Java 800



D - Java 600

Denisia BRACKET



A - Wall mounting



B - Kima 600



C - Java 800



D - Kima 800
Duna bollard



E - Kima 600



F - Kima 800





Eclassis BRACKET



R-Light
Suggestions for ensembles



A - Wall mounting



B - Kima 800

C - Kima 800
Cannelia bollard



D - Kima 800

Encierro BRACKET



A - Wall mounting



B - Jima 600



C - Kima 800



D - Kima 800
Duna bollard



E - Kima 800



Top mounted



R-Light
Suggestions for ensembles



A - Jima400



B - Jima500



C - Jima 600



D - Jima 700

Neptis BRACKET



A - Wall mounting



B - Jima800



C - Kima 800
Cannelia bollard



D - Jima 600





Pénéa BRACKET



R-Light
Suggestions for ensembles



A - Wall mounting



B - Kima 500



C - Kima 800



D - Kima 800

E - Kima 800
Duna bollard

Tomina BRACKET



A - Wall mounting



B - Kima 600



C - Kima 800



D - Kima 800
Duna bollard



E - Kima 800