




Materials : Galvanised steel

	CURVI Pole	4m	5m	6m	7m	8m
a	Height	13ft. 1in.	16ft. 4in.	19ft. 8in.	22ft. 11in.	26ft. 2in.
b	Ø Head	2.36	2.36	2.36	2.36	2.36
c	Ø Base	4.84	5.39	5.98	6.5	7.05
d	Bracket Overhang	10	12.5	15	17.5	20
e	Door Height	15.75	15.75	15.75	19.5	19.5
f	Door Width	3	3	3	3.25	3.25
g	Dist. Ground to Door	19.75	19.75	19.75	19.75	19.75
h	Inscribed Square	2 x 2.75	2.75 x 2.75	3.375 x 2.75	3.75 x 3.375	4.375 x 3.375
i	Center to Center	7.875	7.875	7.875	11.81	11.81
j	Flange	11	11	11	15.75	15.75
k	Anchor Bolts (mm)	14-16x300	14-16x300	14-16x300	18-20x400	18-20x400
l	Concrete Foot	15.75	15.7	24	28	31.5
m	Concrete depth	24	28	28	36	40


Sealing block



Anchors bolts





Base




Inscribed square



Door



Suggestions for assembly



ATINIA 6600
CURVI 400

LANTANA 6600
CURVI 500

THYRIA 6540
CURVI 700

URBANE
CURVI 600

MARGO mega+mini
CURVI 700

MARGO Mix
CURVI 700

R-LIGHT 800
CURVI 800

LANTANA 6780+6600
CURVI 600