




Material: Galvanized Steel

IRO pole	13	16	19	23	26
----------	----	----	----	----	----

Dimensions (feet and inches)

a Height	13'	16.4'	19.7'	23'	26.25'
b Ø Head	2.36"	2.36"	2.36"	2.36"	2.36"
c Ø Base	4.9"	5.4"	6.0"	6.6"	7.2"
d Arm overhang	37.5"	46.8"	56.2"	65.6"	75"
e Door height	15.75"	15.75"	15.75"	19.7"	19.7"
f Door width	3"	3"	3"	3.3"	3.3"
g Dist. floor/door	19.7"	19.7"	19.7"	19.7"	19.7"
h Inscribed square	2" x 2.75"	2.75" x 2.75"	3.4" x 2.75"	3.75" x 3.35"	4.4" x 3.35"
i Center to center	7.9"	7.9"	7.9"	11.8"	11.8"
j Flange	11"	11"	11"	15.75"	15.75"
k Anchors bolts	9/16" x 12"	9/16" x 12"	9/16" x 12"	3/4" x 16"	3/4" x 16"
l Base block sides	16"	16"	16"	24"	24"
m Base block height	20"	24"	28"	32"	40"


Base Configuration



Anchors bolts




Pole Base




inscribed square



Door



Suggestions for assemblies



Margo MEGA

THYRIA 6540

ATINIA 6600

Margo MIX

LANTANA 6600

R-LIGHT 800


LANTANA 6780+6600

Sampling of Luminaires with IRO pole options



IRO

CURVED POLES RANGE



Ordering Information

Model	Height	# of Arms	Arm 1 Height	Arm 2 Height	Color Options
IRO					
	13	1	Arm heights to customer requirements		BLK – (Black)
	16	2			BRZ – (Bronze)
	19				SLV – (Silver)
	23				WHT – (White)
	26				(RAL #)